



Review - Pythagorean Theorem



Jan 1-4:08 PM


We write this in a shorter manner for simplicity.

$$leg^2 + leg^2 = hyp^2$$



or


$$a^2 + b^2 = c^2$$



Note, the last statement can be misleading if the letters used are not in the correct position. Be careful.




Jan 1-4:04 PM

Find the missing side length (draw the squares on each side if necessary)



Sep 23-9:18 AM

Find the missing angle in the following triangles:



Sum of interior angles of a triangle is 180 degrees.


May 29-11:55 AM

Trigonometry

- primary trigonometric ratios

Learning Goal:

By the end of today, we will be able to solve for missing sides and angles in right triangles using the primary trigonometric ratios (SohCahToa).



May 27-8:26 AM

A very kind person created something called the trigonometry tables. They determined that there is an angle attached to every ratio of sides. If the ratio of the sides is 0.5, then that coincides with an angle of 30° . The problem was making sure that we were all talking about the SAME ratio of sides.

The primary trigonometric ratios were born. By giving names to the ratios we were talking about ensured that everyone was on the same page.

Sine

$$\sin(\text{angle}) = \frac{\text{opp}}{\text{hyp}}$$


Cosine

$$\cos(\text{angle}) = \frac{\text{adj}}{\text{hyp}}$$

Tangent

$$\tan(\text{angle}) = \frac{\text{opp}}{\text{adj}}$$

Soh Cah Toa



May 27-11:38 AM


Trigonometry Table – Sine, Cosine, Tangent

Soh Cah Toa			
Angle	Sin	Cos	Tan
1	0.017	1.000	0.017
2	0.035	0.999	0.035
3	0.052	0.999	0.052
4	0.070	0.998	0.070
5	0.087	0.996	0.087
6	0.105	0.995	0.105
7	0.122	0.993	0.123
8	0.139	0.990	0.141
9	0.156	0.988	0.158
10	0.174	0.985	0.176
11	0.191	0.982	0.194
12	0.208	0.978	0.213
13	0.225	0.974	0.231
14	0.242	0.970	0.249
15	0.259	0.966	0.268
16	0.276	0.961	0.287
17	0.292	0.956	0.306
18	0.309	0.951	0.325
19	0.326	0.946	0.344
20	0.342	0.940	0.364
21	0.358	0.934	0.384
22	0.375	0.927	0.404
23	0.391	0.921	0.424
24	0.407	0.914	0.445
25	0.423	0.906	0.466
26	0.438	0.899	0.488
27	0.454	0.891	0.510
28	0.469	0.883	0.532
29	0.485	0.875	0.554
30	0.500	0.866	0.577
31	0.515	0.857	0.601
32	0.530	0.848	0.625
33	0.545	0.839	0.649
34	0.559	0.829	0.675
35	0.574	0.819	0.700
36	0.588	0.809	0.727
37	0.602	0.799	0.754
38	0.616	0.788	0.781
39	0.629	0.777	0.810
40	0.643	0.766	0.839
41	0.656	0.755	0.869
42	0.669	0.743	0.900
43	0.682	0.731	0.933
44	0.695	0.719	0.966
45	0.707	0.707	1.000
46	0.719	0.695	1.036
47	0.731	0.682	1.072
48	0.743	0.669	1.111
49	0.755	0.656	1.150
50	0.766	0.643	1.192
51	0.777	0.629	1.235
52	0.788	0.616	1.280
53	0.799	0.602	1.327
54	0.809	0.588	1.376
55	0.819	0.574	1.428
56	0.829	0.559	1.483
57	0.839	0.545	1.540
58	0.848	0.530	1.600
59	0.857	0.515	1.664
60	0.866	0.500	1.732
61	0.875	0.485	1.804
62	0.883	0.469	1.881
63	0.891	0.454	1.963
64	0.899	0.438	2.050
65	0.906	0.423	2.145
66	0.914	0.407	2.246
67	0.921	0.391	2.356
68	0.927	0.375	2.475
69	0.934	0.358	2.605
70	0.940	0.342	2.747
71	0.946	0.326	2.904
72	0.951	0.309	3.078
73	0.956	0.292	3.271
74	0.961	0.276	3.487
75	0.966	0.259	3.732
76	0.970	0.242	4.011
77	0.974	0.225	4.331
78	0.978	0.208	4.705
79	0.982	0.191	5.145
80	0.985	0.174	5.671
81	0.988	0.156	6.314
82	0.990	0.139	7.115
83	0.993	0.122	8.144
84	0.995	0.105	9.514
85	0.996	0.087	11.430
86	0.998	0.070	14.301
87	0.999	0.052	19.081
88	0.999	0.035	28.636
89	1.000	0.017	57.290
90	1.000	0.000	

The entire preceding table is also stored in your calculator.

Jan 6-10:56 AM

Calculators have mini Trig tables stored inside of them (sorta).



Angle TO ratio

(a) $\sin(35^\circ) =$

(b) $\cos(45^\circ) =$

(c) $\tan(78^\circ) =$


May 28-11:48 AM

Solve for "x" (use your trig table or calculator)

$$\sin(30^\circ) = \frac{x}{10}$$


May 27-12:06 PM

Choose the most appropriate Trig Ratio, and use it to find the missing "y" value.



May 27-12:47 PM

Calculators have mini Trig tables stored inside of them (sorta).



Ratio TO Angle

(a) $\sin (A) = 0.68$

(b) $\cos (B) = 0.456$

(c) $\tan (K) = 12.45$

May 28-11:48 AM

Find the angle that corresponds with the given ratio.


(a) $\sin A = \frac{5}{8}$

(b) $\tan \theta = \frac{12}{5}$

(c) $\cos \beta = \frac{14}{38}$


May 28-11:56 AM

Choose the most appropriate Trig Ratio, and use it to find the missing "A" value.





May 27-12:47 PM

Choose the most appropriate Trig Ratio, and use it to find the missing "y" value.



May 27-12:47 PM

Important Notations



Jan 10-9:27 AM

Consolidation Questions:

Page 572 #2-6

May 27-12:50 PM